NI VANO 444 PHYSICIANS

| PHYSICIA  | NS ZUZUTILDIO OTIGAL   | Cilcct  |  |
|---|--|---|--|
| Measure   | HEDIS Requirement  | Rendering Provider Needs to report  |  |
| W34   |  |   |  |
| Well Child visits in<br>ages 3-6 years of life  | Measures percentage of members 3 to 6 years of age who had one or more comprehensive well child visits with a PCP during the year.  Make sure your medical records reflect the following:  -A note indicating a visit to PCP  -The Date the well-child visit occurred  -Physical and mental developmental histories  -A physical exam  -Health Education and anticipatory guidance   | Well Child visit: CPT: 99381-99385, 99391-99395, 99461 ICD-10: Z00.110, Z00.111, Z00.121, Z00.129, Z00.5, Z00.8, Z02.0-Z02.6, Z02.71, Z02.82, Z76.1, Z76.2  |  |
| WCC   |  |   |  |
| Weight Assessment<br>and Counseling for<br>Nutrition and Physical<br>Activity for<br>Children/Adolescents | Measures percentage of members 3 - 17 years of age who had an out patient visit with PCP or OB/GYN and who had evidence of the following:  - BMI* Percentile documented - Counseling for Nutrition - Counseling for physical activity  | BMI: ICD-10 268.51 if less than 5th percentile 268.52 if 5th - 84th percentile 268.53 if 85th -94th percentile 268.54 if 95th and above percentile Nutritional Couseling: ICD-10: Z71.3 CPT: 97802, 97803, 97804 HCPCS: G0270, G0271, G0447, S9449, S9452, S9470 Physical Activity Counseling: ICD-10: Z71.82 (Exercise Counseling) Z02.5 (Sports physical) HCPCS: G0447, S9451                     |  |
| W15   |  | Her es. 40447, 33431  |  |
| Well-child visits in first 15 months of life  | Measures percentage of members that complete 6 or more well child visits before 15 months of age.  | CPT: 99381-99385, 99391-99395, 99461 ICD-10: Z00.00, Z00.01, Z00.110, Z00.111, Z00.121, Z00.129, Z00.5, Z00.8, Z02.0- Z02.6, Z02.71, Z02.82, Z76.1, Z76.2 G0438- G0439  |  |
| Adolescent Well-care visits   | Measures percentage of members 12 to 21 years of age who had one or more comprehensive well visits during the year.  | CPT: 99381-99385, 99391-99395, 99461 ICD-10: Z00.00, Z00.110, Z00.111, Z00.121, Z00.129, Z00.5, Z00.8, Z02.0- Z02.6, Z02.71, Z02.82, Z76.1, Z76.2 G0438- G0439  |  |
| CIS   |  |   |  |
| Childhood<br>Immunizations  | Measures percentage of members who turned 2 years old in the measurement year and received the following vaccinations on or before their 2nd birthday:  4- Diphtheria, tetanus, and acellular pertussis (DTaP) 3- Polio (IPV) 1- Measles, mumps, and rubella (MMR) 3- Haemophilus Influenza type B (Hib) 3- Hepatitis B (Hep B) 1- Chicken Pox (VZV) 4- Pneumococcal Conjugate (PCV) 1- Hepatitis A (Hep A) 2 or 3- Rotavirus (RV) 2- Influenza (Flu)  Record the immunizations in the CAIR Registry if applicable. Document history of illness or seropositive test result in medical record. Document the date of first Heb B vaccine given at hospital and name of hospital. Exclusions: Anaphylactic shock as a result of vaccine administered | DTaP: 90698, 90700, 90721, 90723 IPV: 90698, 90713, 90723 MMR: 90707, 90710 Measles and Rubella: 90708 Measles: 90705 Mumps: 90704 Rubella: 90706 Hib: 90644-90648, 90698, 90721, 90748 Hep B: 90723, 90740, 90744, 90747, 90748 VZV: 90710, 90716 PCV: 90670 Hep A: 90633 Rotavirus 2 dose: 90681 Rotavirus 3 dose: 90680 Influenza: 90655, 90657, 90661, 90662, 90673, 90685, 90686, 90687, 90688 |  |
| IMA   |  | 10.   |  |
| Immunizations for<br>Adolescents  | Measures percentage of adolescents 13 years of age who had the following vaccines on or before their 13th birthday:  | Meningococcal Vaccine: 90734  Tdap Vaccine: 90715   |  |



1 dose of Meningococcal Vaccines, 1 dose of Tdap, 2 doses of HPV vaccines

<u>Exclusion:</u> Anaphylactic shock as a result of vaccine administered

HPV Vaccine:

90649, 90650, 90651



| Measure                      | Service Needed   | Rendering Provider Needs to report  |
|------------------------------|--|---|
| BCS                          |  |   |
| Mammography                  | two years prior to measurement year and December 31 of the measurement year.   | Mammogram: CPT: 77055, 77056, 77057, 77061, 77062, 77063, 77065, 77066, 77067 HCPCS: G0202, G0204, G0206 History of Bilateral Mastectomy: Z90.13 Absence of Left Breast: Z90.12   |
|                              |  | Absense of Right Breast: Z90.11   |
| ccs                          |  |   |
| Cervical Cancer<br>Screening | co-testing in last 5 years.  | Pap Collection: Q0091 Cervical Cytology: 88141, 88142, 88143, 88147, 88148, 88150, 88152, 88153, 88154, 88164, 88165, 88166, 88167, 88174, 88175 HPV Tests: 87620, 87621, 87622, 87624, 87625 No Cervix: ICD10: Z90.710 (Acquired absence |
|                              | <u>Exclusion:</u> Evidence of a hysterectomy with no residual cervix, cervical agenesis or acquired absence of cervix.   | of cervix & uterus), Z90.712, Q51.5   |
| CHL                          |  |   |
| Chlamydia Screening          | Measures women 16-24 years of age who were identified as sexually active and who had at  | CPT: 87110, 87270, 87320, 87490-87492.  |
| in Women                     | least one test for chlamydia during the measurement year.  | 87810   |
|                              | Two possible methods to identify sexually active women: pharmacy data and claim/encounter data.  | LOINC code from the EMR data also count towards the measure   |
|                              | Exclusion: Women who fell in the denominator based on a pregnancy test alone and also had: a prescription for Isotretinoin or an x-ray on the date of the pregnancy test/6 days after the pregnancy test are excluded from the measure |   |
| PPC                          | latter the pregnancy test are excluded from the measure  |   |
| Prenatal and                 | Measures percentage of delivery of lives births on or between 11/6 of previous year and  | Code: Z1032   |
| Postpartum Care              | 11/5 of current year. For these women the measure assesses the following for prenatal and postpartum care.   | Service Definition: Initial pregnancy- related office visit.  Billing Rules: One time only  |
|                              | Prenatal care: Measures prenatal care visits in the 1st trimester or by 42 days of enrollment  | ,   |
|                              | Postpartum care: Measures postpartum visit 7-84 days after delivery  | related office visit is within the first 16 week of gestation.  |
|                              | delivered does not meet compliance.  | Billing Rules: One time only<br>Code: Z1034   |
|                              |  | Service Definition: Antepartum follow- up visit (non-global), subsequent to the initial pregnancy- related office visit, per visit billin   |
|                              |  | <b>Billing Rules:</b> 2nd to 9th visit (bill each visit separately)   |
|                              |  | Code: Z1036 (Bill with ZI modifier) Service Definition: 10th antepartum office visit (non-global). Any additional visits.   |
|                              |  | Billing Rules: One time only  |



Code: Z1038 (Bill with the ZI modifier)
Service Definition: Postpartum: one follow-up

office visit (non-global) **Billing Rules:** One time only



| PHYSICIA             |  | Decidence Decides Nondata second   |
|----------------------|--|--|
| Measure              | Service Needed   | Rendering Provider Needs to report   |
| СВР                  |  |  |
| Controlled Blood     | Measures percentage of members 18-85 with a diagnosis of hypertension whose last blood | Systolic BP <140: 3074F, 3075F   |
| Pressure (Use CPTII  | pressure reading of the year was adequately controlled (<140/90) during measurement    | Systolic BP>/=140: 3077F   |
| Codes)               | year.  |  |
|                      |  | Diastolic BP <80: 3078F  |
|                      | Exclusion: members 66-80 years and older with advance illness and frailty              | Diastolic BP 80-89: 3079F  |
|                      |  | Diastolic BP >/= 90: 3080F   |
| ABA                  |  | вмі  |
| Adult Body Mass      | Measures percentage of members 18 years as of January 1 the year prior to the          | <b>Z68.1</b> =19.9 or less <b>Z68.32</b> =32.0-32.9                          |
| Index Assessment     | measurement year to 74 years as of December 31 of the measurement year with a record   | <b>Z68.20</b> =20.0-20.9 <b>Z68.33</b> =33.0-33.9                            |
|                      | of BMI reading taken in the measurement year or year prior.                            | <b>Z68.21</b> =21.0-21.9 <b>Z68.34</b> =34.0-34.9                            |
|                      |  | <b>Z68.22</b> =22.0-22.9 <b>Z68.35</b> =35.0-35.9                            |
|                      | Exclusion: Pregnant members  | <b>Z68.23</b> =23.0-23.9 <b>Z68.36</b> =36.0-36.9                            |
|                      | Exclusion. Fregulation members   | <b>Z68.24</b> =24.0-24.9 <b>Z68.37</b> =37.0-37.9                            |
|                      |  |  |
|                      |  | <b>Z68.25</b> =25.0-25.9 <b>Z68.38</b> =38.0-38.9                            |
|                      |  | <b>Z68.26</b> =26.0-26.9 <b>Z68.39</b> =39.0-39.9                            |
|                      |  | <b>Z68.27</b> =27.0-27.9 <b>Z68.41</b> =40.0-44.9                            |
|                      |  | <b>Z68.28</b> =28.0-28.9 <b>Z68.42</b> =45.0-49.9                            |
|                      |  | <b>Z68.29</b> =29.0-29.9 <b>Z68.43</b> =50.0-59.9                            |
|                      |  | <b>Z68.30</b> =30.0-30.9 <b>Z68.44</b> =60.0-69.9                            |
|                      |  | <b>Z68.29</b> =31.0-31.9 <b>Z68.45</b> =70 or greater                        |
|                      |  |  |
|                      |  | BMI: ICD-10  |
|                      |  | <b>Z68.51</b> if less than 5th percentile                                    |
|                      |  | ·  |
|                      |  | <b>Z68.52</b> if 5th - 84th percentile                                       |
|                      |  | <b>Z68.53</b> if 85th -94th percentile                                       |
|                      |  | <b>Z68.54</b> if 95th and above percentile                                   |
| CDC                  |  |  |
| Comprehensive        | Measures percentage of members 18-75 years of age with Type 1 or Type 2 Diabetes.      | Service code: 83036, 83037 (in-house HbA1c                                   |
| Diabetes Care        | The about 25 per centrage of the moets 25 75 years of age with Type 2 5 habetes.       | test)  |
| Diabetes Care        |  | Result Codes:  |
| 11b A4 - T+-         |  |  |
| HbA1c Tests          |  | HbA1c Level <7%: 3044F   |
|                      | Each year patients with diabetes need:   | HbA1c Level 7.0-7.9: 3051F   |
|                      | -HbA1c testing   | HbA1c Level 8.0-9.0: 3052F   |
|                      | -Blood pressure monitoring   | HbA1c Level >9%: 3046F   |
| Diabetic Retinal Eye | -Nephropathy screening and treatment   | Eye Exams:   |
| Screening            | -Dilated retinal eye exam in current year or negative exam in previous year            | Diabetes Mellitus without complications:                                     |
|                      |  | E10.96, E11.9, E13.9   |
| Nephropathy          |  | With Evidence of Retinopathy: 2022F  |
|                      |  | Without Evidence of Retinopathy: 2023F                                       |
| Blood Pressure       |  | Diabetic Retinal Screening Negative: 3072F                                   |
|                      |  |  |
|                      |  |  |
|                      |  |  |
|                      |  |  |
|                      | Exclusion: members 66- 80 years and older with advance illness and frailty             |  |
|                      | ,  | Nephropathy Screening: 81000-81003,  |
|                      |  | 81005, 82042, 82043, 82044, 84156  |
|                      |  | Result code: 3060F, 3061F, 3062F   |
|                      |  | Evidence of Treatment: 3066F, 4010F  |
|                      |  | Levidence of Treatment. 3000F, 4010F   |
|                      |  | Blood Pressure (BP) < 140/90:  |
|                      |  | Systolic BP <140: 3074F, 3075F   |
|                      |  | Systolic BP>/=140: 3077F   |
|                      |  | 307/F  |
| Ī                    |  | 1  |
|                      |  | D:+-!:- DD +00   |
|                      |  | Diastolic BP <80: 3078F  |
|                      |  | Diastolic BP <80: 3078F Diastolic BP 80-89: 3079F Diastolic BP >/= 90: 3080F |



| PHYSICIA  | N2   |                                     |
|---|--|-------------------------------------|
| AMR   |  |                                     |
| Asthma Medication<br>Ratio  | Measures percentage of members 5 years - 64 years of age as of December 31 of the measurement year with Ratio of controller inhaler use over total asthma medications, 50% or better for compliance.   | Follow up with member prescription. |
|   | <u>Exclusion:</u> Advance respiratory conditions. Members with no asthma medications dispensed during measurement year   |                                     |
| PCR   |  |                                     |
| Plan All-Cause<br>Readmission   | Measures percentage of members 18 years - 64 years of age as of the Index Discharge Date with count of unplanned readmissions within 30 days of the discharge date from hospital stay divided by total hospital discharges.(lower score indicates better performance)  |                                     |
|   | Exclusion: Pregnant members and member death   |                                     |
| AMM   |  |                                     |
| Antidepressant<br>Medication<br>Management – Acute  | Measures percentage of members 18 years of are or older as of April 30 of measurement year who remained on antidepressant medication for at least 84 days, allowable gap in medication coverage not to exceed 31 days  | Follow up with member prescription. |
| (AMM)   | Exclusion: Members who had antidepressant medication 105 days prior to date of first prior index prescription dispense date  Members without an encounter that includes a diagnosis of depression within +/- 60 days of index date   |                                     |
| AMM   | of mack date   |                                     |
| Antidepressant Medication Management – Continuation (AMM)                                     | Measures percentage of members 18 years of are or older as of April 30 of measurement year who remained on antidepressant medication for at least 180 days, allowable gap in medication coverage not to exceed 52 days   | Follow up with member prescription. |
|   | Exclusion: Members who had antidepressant medication 105 days prior to date of first prior index prescription dispense date  Members without an encounter that includes a diagnosis of depression within +/- 60 days   |                                     |
| ADD   | of index date  |                                     |
| Follow-Up Care for<br>Children Prescribed<br>ADHD Medication -<br>Initiation Phase (ADD)      | Measures percentage of members 6 years as of March 1 of the year prior to the measurement year to 12 years as of the last day of February of the measurement year who were dispensed ADHD medication and had 1 follow-up visit with practitioner w/prescribing authority during 30-day window after index date   | Follow up with member prescription. |
|   | Exclusion: Any member with an acute inpatient encounter for mental health of chemical dependency during the 30 days after index date   |                                     |
| ADD   |  |                                     |
| Follow-Up Care for<br>Children Prescribed<br>ADHD Medication -<br>Continuation Phase<br>(ADD) | Measures percentage of members 6 years as of March 1 of the year prior to the measurement year to 12 years as of the last day of February of the measurement year who were dispensed ADHD medication and remained on it for at least 210 days and is compliant for the initiation phase had at least 2 follow- up visits with any practitioner within 270 days after the initiation phase ended. | Follow up with member prescription. |
|   | Exclusion: Any member with an acute inpatient encounter for mental health of chemical dependency during the 30 days after index date   |                                     |